Patent claims

10

15

- 1. An analytical test system which comprises a molecular switch which exhibits a probe and a catalytic component.
- 2. The system as claimed in claim 1, characterized in that the probe is conjugated to the catalytic component either directly or by way of a coupling component.
- 3. The system as claimed in claim 1 or 2, characterized in that the catalytic activity of the molecular switch is changed by an analyte to be determined making contact with the probe.
- 4. The system as claimed in one or more of claims 1 to 3, characterized in that the change in the catalytic activity of the molecular switch is due to a conformational change in the probe which is elicited by the analyte.
- 5. The system as claimed in one or more of claims 1 to 4, characterized in that a nucleic acid or a nucleic acid derivative is used as the probe or as a constituent thereof.
- 6. The system as claimed in one or more of claims 1 to 5, characterized in that a ribonucleic acid, a deoxyribonucleic acid, a peptide nucleic acid or a locked nucleic acid is used as the probe or as a constituent thereof.
- 7. The system as claimed in one or more of claims 1 to 6, characterized in that the nucleic acid or the nucleic acid derivative which is used as the probe or as a probe constituent is present in

10

15

25

30

35

hybridized form.

- 8. The system as claimed in one or more of claims 1 to 7, characterized in that an oligonucleotide is used as the probe or as a probe constituent.
 - 9. The system as claimed in one or more of claims 1 to 8, characterized in that the oligonucleotide which is used as the probe or as probe constituent exhibits an intramolecular hybridization.
 - 10. The system as claimed in one or more of claims 1 to 9, characterized in that an enzyme, an antibody, a catalytically active nucleic acid or a catalytically active nucleic acid derivative is used as the catalytic component or as a constituent thereof.
- 11. The system as claimed in one or more of claims 1 to 10, characterized in that a catalytically active ribonucleic acid, deoxyribonucleic acid, peptide nucleic acid or locked nucleic acid is used as the catalytic component or as a constituent thereof.
 - 12. The system as claimed in one or more of claims 1 to 11, characterized in that an enzyme is used as the catalytic component or as a constituent thereof.
 - 13. A method for determining an analyte in a sample, wherein an analytical test system or a molecular switch as claimed in one or more of claims 1 to 12 is used.
 - 14. The use of a molecular switch as claimed in one or more of claims 1 to 12 for determining an analyte

- 75 -

in a sample.

- 15. The use of an analytical test system as claimed in one or more of claims 1 to 12 for determining an analyte in a sample.
- 16. The use as claimed in claim 14 or 15, characterized in that the analyte is a nucleic acid or a nucleic acid derivative.

10

17. A molecular switch as claimed in one or more of claims 1 to 12.